

Amendments to the Claims

1. (currently amended) A *B. oleracea* plant resistant to multiple pathotypes of clubroot disease, wherein the resistance is obtained from a clubroot resistant *B. rapa* plant and the resistance to clubroot is monogenic and dominant.
2. (original) The plant according to claim 1, wherein said *B. oleracea* plant is rated at level 2 or less in a test for the disease having a 1-9 scale or at a level 1 or less in a test for the disease having a 0-5 scale.
3. (original) The plant according to claim 1, wherein said *B. oleracea* plant is rated at level 1 in a test for the disease having a 1-9 scale or at a level 0 in a test for the disease having a 0-5 scale.
4. (original) The plant according to claim 1, wherein said *B. oleracea* plant is broccoli, white cabbage, cauliflower, Brussels sprouts, Borecole, Savoy, or red cabbage.
5. (original) The plant according to claim 1, wherein said resistance is linked to a molecular marker obtainable by PCR amplification.
6. (original) The plant according to claim 1, wherein said resistance is linked to a molecular marker obtainable by PCR amplification using primer O20 (SEQ ID NO:1) or primer Y13 (SEQ ID NO:2).
7. (original) The plant according to claim 5, wherein said resistance is within 10 cM of said molecular marker.
8. (original) The plant according to claim 5, wherein said resistance is within 6 cM of said molecular marker.
9. (cancelled)

10. (original) The plant according to claim 1, wherein said resistance is obtainable from Chinese cabbage F1 hybrid Parkin.

11. (currently amended) A *B. oleracea* plant comprising a locus conferring resistance to multiple pathotypes of clubroot disease, wherein said resistance is obtained from a clubroot resistant *B. rapa* plant and said resistance is monogenic and dominant.

Claims 12-16. (cancelled)

17. (previously presented) The plant according to claim 1, wherein said *B. oleracea* plant is homozygous for said resistance.

18. (previously presented) The plant according to claim 1, wherein said *B. oleracea* plant is heterozygous for said resistance.

19. (previously presented) The plant according to claim 1, wherein said *B. oleracea* plant is an inbred or a dihaploid.

20. (previously presented) The plant according to claim 1, wherein said *B. oleracea* plant is a hybrid.

21. (previously presented) The plant according to claim 19, wherein said *B. oleracea* plant is cytoplasmic male sterile.

22. (previously presented) A seed of the plant according to claim 1.

23. (previously presented) A fruit or a part of the plant according to claim 1.

24. (previously presented) A part of the plant according to claim 1, wherein said part is pollen, ovule or embryo.

Claims 25-26. (cancelled)

27. (withdrawn) A method for producing a *B. oleracea* plant comprising a monogenic and dominant resistance to clubroot comprising the steps of:

- a) obtaining a *B. rapa* plant resistant to clubroot;
- b) crossing said *B. rapa* plant with a *B. oleracea* plant,
- c) rescuing embryos resulting from the cross of step b);
- d) regenerating a plant from a embryo of step c);
- e) selecting a plant of step d) that is resistant to clubroot;
- f) back-crossing a plant resulting from step e) with a *B. oleracea* plant.

28. (withdrawn) The method according to claim 27, further comprising introgressing the resistance into an elite *B. oleracea* inbred.

29. (withdrawn) The method according to claim 28, further comprising crossing said inbred to another *B. oleracea* inbred to produce a hybrid.

30. (withdrawn) A *B. oleracea* plant obtainable by the method of claim 27.

31. (withdrawn) A method for transferring a monogenic and dominant resistance to clubroot to a *B. oleracea* plant susceptible or less resistant to the disease comprising the steps of:

- a) obtaining a *B. oleracea* plant comprising a monogenic and dominant resistance to clubroot;
- b) crossing said *B. oleracea* plant of step a) with a *B. oleracea* plant susceptible or less resistant to clubroot;
- c) selecting a plant from the cross of step b) that is resistant to clubroot.

32. (withdrawn) The method according to claim 31, further comprising backcrossing said resistance into said *B. oleracea* plant susceptible or less resistant to clubroot.

33. (withdrawn) A DNA fragment amplified from a Brassica genome, wherein said DNA fragment is approximately 400 bp long and comprises SEQ ID NO:1 or wherein said DNA fragment is approximately 640 bp long and comprises SEQ ID NO:2.

34. (cancelled)

35. (withdrawn) The DNA fragment according to claim 33, wherein said DNA fragment is indicative of the presence of a dominant and monogenic resistance to clubroot in a Brassica plant.

Claims 36-40. (cancelled)

41. (withdrawn) A kit for detecting a monogenic and dominant resistance to clubroot in a *B. oleracea* plant comprising an oligonucleotide set forth in SEQ ID NO:1 or SEQ ID NO:2.

42. (withdrawn) A method for transferring a monogenic and dominant resistance to clubroot to a *B. oleracea* plant susceptible or less resistant to the disease comprising the steps of:

- a) obtaining a *B. oleracea* plant comprising a monogenic and dominant resistance to clubroot;
- b) crossing said *B. oleracea* plant of step a) with a *B. oleracea* plant susceptible or less resistant to clubroot;
- c) selecting a plant comprising a DNA fragment obtainable by PCR amplification using primer O20 (SEQ ID NO:1) or primer Y13 (SEQ ID NO:2);

wherein said plant of step c) is resistant to clubroot.

43. (withdrawn) The method according to claim 42, further comprising backcrossing said resistance into said *B. oleracea* plant susceptible or less resistant to clubroot.

Claims 44-45. (cancelled)

46. (previously presented) A seed of the plant according to claim 11.

47. (previously presented) A fruit or a part of the plant according to claim 11.
48. (previously presented) The plant according to claim 11, further comprising a nucleic acid sequence, which can be amplified by PCR using primer O20 (SEQ ID NO:1) or primer Y13 (SEQ ID NO:2).
49. (previously presented) The plant according to claim 48, wherein a DNA fragment of approximately 400 bp is amplified using primer O20 (SEQ ID NO:1).
50. (withdrawn) The plant according to claim 48, wherein a DNA fragment of approximately 640 bp is amplified using primer Y13 (SEQ ID NO:2).
51. (previously presented) A seed of the plant according to claim 48.
52. (previously presented) A fruit or a part of the plant according to claim 48.
53. (currently amended) A *B. oleracea* plant resistant to multiple pathotypes of clubroot disease, wherein the resistance is obtained from a clubroot resistant *B. rapa* plant, wherein the clubroot resistant *B. rapa* plant is a Chinese cabbage F1 hybrid 'Parkin' and the resistance to clubroot is monogenic and dominant.
54. (previously presented) A *B. oleracea* plant resistant to clubroot disease wherein the resistance to clubroot is monogenic and dominant and wherein the plant is a plant of line CFL667 deposited with NCIMB under accession number NCIMB 41134, or a progeny or ancestor of said line CFL667 comprising the monogenic and dominant resistance to clubroot comprised in said line CFL667, or a plant derived from said line CFL667 deposited with NCIMB under accession number NCIMB 41134 and comprising the monogenic and dominant resistance to clubroot comprised in said line CFL667.